

# T1 Coat Rack Specifications

## PART 1 - GENERAL

1. DESCRIPTION: Furnish and install custom length wall mounted coat rack.
2. RELATED WORK: (Refer to Section of Specs which applies to wall blocking for coat racks.)

## PART 2 - PRODUCTS

1. MANUFACTURER: T1 unit by EMCO Specialty Products, Inc., Kansas City, KS.
2. MATERIALS:
  1. Wall strips are 1/2" extruded aluminum 12" long, powder coated black.
  2. Brackets are solid cast aluminum powder coated black. Bracket screws are included to allow for height adjustment.
  3. Shelf slat is extruded aluminum (specify finish silver or bronze).
  4. EMCO polycarbonate "T" receptacle to be positioned in the first slat. The number and arrangement as per manufacturer's standards.
  5. Accessories: One EMCO hanger No. 11 ball top hanger shall be provided for each "T" spaced approximately 4 per foot.

## PART 3 - EXECUTION

### INSTALLATION:

1. Install wall blocking.
2. Install wall strip using "fasteners by others" appropriate for wall type.
3. The wall strip height shall be based upon architect's specified height for shelf.
4. Install brackets in wall strip using EMCO fasteners.
5. Install slat using EMCO fasteners.
6. Install a ball top hanger in each "T" receptacle.
7. Wipe down shelves to remove dust.
8. Remove all trash and debris.